



300 Armistice Boulevard
Pawtucket, RI 02861-2332
PH: 800-458-7839 :: 401-722-5023
FX: 401-722-9938



ALUMINUM SMOOTH

Inner Dia. (ID)	Length (L)	Pierce Dia. (P)	Gauge	Item #	Description	Pieces/Box	In Stock
0.38"	0.718"	0.266"	0.024"	951-950	375MCA	10,000	YES
0.45"	0.5"	0.266"	0.024"	951-956	450MCA	4000	YES
0.5"	0.5"	0.328"	0.024"	951-944	624B ALUM	5000	NO
0.525"	0.72"	0.406"	0.024"	951-945	525 ALUM	5000	NO
0.55"	0.55"	0.406"	0.024"	951-940	550 MCA	2500	NO
0.55"	0.625"	0.354"	0.024"	951-389	550 ALUM	2500	NO
0.625"	1"	0.453"	0.024"	951-915	7327A ALUM.	2000	NO
0.625"	0.55"	0.453"	0.024"	951-937	625 ALUM	5000	NO
0.656"	0.968"	0.453"	0.024"	951-763	7328B ALUM	2000	NO
0.675"	0.516"	0.5"	0.024"	951-929	GG ALUM.	3000	NO
0.75"	0.531"	0.5"	0.024"	951-925	DD ALUM.	4000	NO



BRASS OVAL

Inner Dia. (ID)	Length (L)	Pierce Dia. (P)	Gauge	Item #	Description	Pieces/Box	In Stock
.453 X .906"	0.469"	NA"	0.015"	951-112	24609 OVAL FERR	2000	YES
.474 X .943"	0.468"	NA"	0.019"	951-618	9979 OVAL FERR	2000	NO
.535 X 1.071"	0.75"	NA"	0.024"	951-617	9940P OVAL FERR	2000	YES
.593 X 1.110"	0.75"	NA"	0.024"	951-558	9593 OVAL FERR	2000	YES
.700 X 1.325"	0.75"	NA"	0.025"	951-111	8337 OVAL FERR	1000	YES



300 Armistice Boulevard
Pawtucket, RI 02861-2332
PH: 800-458-7839 :: 401-722-5023
FX: 401-722-9938



BRASS RIBBED

Inner Dia. (ID)	Length (L)	Pierce Dia. (P)	Gauge	Item #	Description	Pieces/Box	In Stock
0.6"	0.75"	0.45"	0.02"	951-273	600 RIB FERULE	2000	NO
0.65"	0.75"	0.56"	0.02"	951-337	650 RIB FERRULE	2000	NO
0.675"	0.75"	0.56"	0.02"	951-189	675 RIB FERR	2000	YES
0.7"	0.75"	0.55"	0.02"	951-889	700 RIB FERRULE	2000	NO
0.72"	0.75"	0.56"	0.02"	951-347	720 RIB FERRULE	2000	NO
0.73"	0.85"	0.575"	0.02"	951-122	730 RIB FERRULE	2000	NO
0.76"	0.85"	0.635"	0.02"	951-344	760A RIB FERRULE	2000	NO
0.76"	0.85"	0.575"	0.02"	951-064	760 RIB FERRULE	2000	NO
0.775"	0.85"	0.635"	0.02"	951-288	775 RIBBED FERRULE	2000	NO
0.8"	0.85"	0.69"	0.02"	951-666	800 RIB FERRULE	2000	YES
0.81"	0.85"	0.69"	0.02"	951-175	810 RIB FERRULE	1000	YES
0.825"	0.85"	0.69"	0.02"	951-091	825 RIB FERRULE	1500	YES
0.85"	0.85"	0.69"	0.02"	951-098	850 RIB FERRULE	1500	NO
0.875"	0.85"	0.69"	0.022"	951-199	875 RIB FERRULE	1500	YES
0.9"	0.85"	0.69"	0.022"	951-208	900 RIB FERRULE	1000	NO
0.95"	0.875"	0.685"	0.022"	951-113	950 RIB FERRULE	1000	NO
1"	0.875"	0.81"	0.022"	951-573	1.000 RIB FERRULE	1000	NO
1.05"	0.875"	0.81"	0.022"	951-388	1.050 RIB FERRULE	1000	NO



300 Armistice Boulevard
 Pawtucket, RI 02861-2332
 PH: 800-458-7839 :: 401-722-5023
 FX: 401-722-9938



BRASS SMOOTH

Inner Dia. (ID)	Length (L)	Pierce Dia. (P)	Gauge	Item #	Description	Pieces/Box	In Stock
0.275"	0.5"	0.217"	0.016"	951-253	275 MC	10 000	Y ES
0.33"	0.484"	0.25"	0.016"	951-562	6231	10000	YES
0.358"	0.5"	0.266"	0.016"	951-550	833	5000	YES
0.38"	0.718"	0.266"	0.016"	951-250	375 MC	5000	YES
0.38"	0.5"	0.26"	0.016"	951-544	622	10000	YES
0.41"	0.5"	0.266"	0.016"	951-545	620	5000	YES
0.45"	0.562"	0.344"	0.016"	951-549	769	5000	YES
0.45"	1"	0.245"	0.024"	951-102	7320	2000	YES
0.45"	0.562"	0.25"	0.016"	951-771	769B	5000	YES
0.45"	0.5"	0.266"	0.016"	951-251	450MC	5000	YES
0.45"	1"	0.344"	0.019"	951-621	769-1	5000	YES
0.478"	0.688"	0.328"	0.024"	951-522	4750	4000	YES
0.5"	1"	0.344"	0.024"	951-509	7322	2000	YES
0.5"	0.72"	0.32"	0.02"	PENDING	500	2000	NO
0.5"	0.5"	0.344"	0.016"	951-546	624	5000	YES
0.5"	0.5"	0.328"	0.016"	951-244	624B	5000	YES
0.5"	0.625"	0.344"	0.016"	951-560	624A	5000	NO
0.5"	0.5"	0.338"	0.016"	951-356	624B FLARE	2000	NO
0.52"	0.6"	0.36"	0.016"	951-226	520	4000	NO
0.525"	0.5"	0.344"	0.016"	951-547	625 (INDUSTRY STD NAME)	5000	YES
0.525"	0.718"	0.406"	0.024"	951-068	525FBL	3000	NO
0.525"	0.624"	0.344"	0.016"	951-554	625A (INDUSTRY STD NAME)	4000	NO
0.528"	1"	0.375"	0.024"	951-510	7323	2000	YES
0.528"	0.5"	0.375"	0.024"	951-239	7323 SHORT	2000	NO
0.528"	1"	0.315"	0.024"	951-196	528 (24307)	2000	NO
0.528"	1"	0.438"	0.024"	951-511	7324	2000	YES
0.528"	1"	0.375"	0.024"	PENDING	7324B	2000	NO
0.54"	0.627"	0.358"	0.02"	PENDING	540	2000	NO
0.548"	0.484"	0.375"	0.016"	951-548	626	5000	YES
0.55"	0.55"	0.406"	0.016"	951-245	550 MC	2500	YES
0.55"	0.6"	0.305"	0.04"	951-131	550	2500	NO
0.55"	0.72"	0.34"	0.02"	PENDING	550 ALT	2000	NO
0.55"	0.75"	0.406"	0.019"	951-958	550FLR	2500	NO
0.562"	1"	0.438"	0.024"	951-512	7325	2000	YES
0.562"	1"	0.375"	0.024"	951-508	7325B	2000	YES
0.564"	0.75"	0.375"	0.019"	951-543	3588	2000	YES
0.564"	0.5"	0.42"	0.019"	951-279	3588 SHORT	5000	NO
0.57"	0.73"	0.32"	0.019"	951-346	.570 FLR	2000	NO
0.575"	0.968"	0.406"	0.024"	951-242	0.575 (7310-1494)	2000	NO



300 Armistice Boulevard
 Pawtucket, RI 02861-2332
 PH: 800-458-7839 :: 401-722-5023
 FX: 401-722-9938



BRASS SMOOTH (Continued)

Inner Dia. (D)	Length (L)	Pierce Dia. (P)	Gauge	Item #	Description	Pieces/Box	In Stock
0.575"	0.484"	0.375"	0.019"	951-556	KKB	5000	YES
0.575"	0.484"	0.468"	0.019"	951-541	KK	5000	YES
0.58"	0.72"	0.358"	0.02"	PENDING	580	2000	NO
0.593"	1"	0.438"	0.024"	951-513	7326	2000	YES
0.593"	1"	0.368"	0.024"	951-274	7326A	2000	NO
0.593"	1"	0.375"	0.024"	951-227	7326B (24521)	3000	NO
0.6"	0.5"	0.5"	0.019"	951-540	JJ	4000	YES
0.615"	0.655"	0.36"	0.02"	PENDING	615	2000	NO
0.625"	1"	0.438"	0.024"	951-514	7327	2000	YES
0.625"	0.5"	0.5"	0.019"	951-539	II	4000	YES
0.625"	1"	0.375"	0.025"	951-557	7327B	2000	NO
0.625"	1"	0.453"	0.024"	951-243	7327A	2000	YES
0.625"	0.55"	0.453"	0.019"	951-249	625 MC	5000	NO
0.625"	0.5"	0.318"	0.019"	951-852	625 SHORT (1483-8B)	4000	NO
0.63"	0.6"	0.305"	0.04"	951-631	550	2000	NO
0.64"	1"	0.437"	0.024"	951-232	640	2000	NO
0.645"	0.31"	0.385"	0.024"	951-298	0.645	5000	NO
0.65"	0.5"	0.5"	0.019"	951-538	HH	5000	YES
0.65"	0.5"	0.438"	0.019"	951-502	HHB	3000	NO
0.653"	0.488"	0.35"	0.04"	951-170	653 (R75-0602)	2000	NO
0.656"	1"	0.438"	0.024"	951-515	7328	2000	YES
0.656"	1"	0.375"	0.024"	951-065	7328A	2000	NO
0.675"	0.516"	0.5"	0.019"	951-537	GG	3000	YES
0.687"	1"	0.5"	0.024"	951-516	7329	2000	YES
0.687"	1"	0.438"	0.024"	951-587	7329B	2000	NO
0.7"	0.516"	0.5"	0.019"	951-536	FF	3000	NO
0.7"	1"	0.5"	0.025"	951-197	FBL 700	1000	YES
0.718"	1"	0.5"	0.024"	951-551	7330B	2000	YES
0.718"	1"	0.625"	0.024"	951-517	7330	2000	YES
0.718"	1"	0.318"	0.024"	951-632	7330C	2000	YES
0.718"	1"	0.47"	0.024"	951-236	7330D (24525)	2000	NO
0.725"	0.531"	0.5"	0.019"	951-535	EE	3000	YES
0.725"	0.968"	0.45"	0.024"	951-237	725 (7310-1495)	2000	NO
0.725"	0.531"	0.318"	0.019"	951-561	EEB	3000	NO
0.75"	1"	0.5"	0.024"	951-552	7331B	2000	YES
0.75"	1"	0.625"	0.024"	951-518	7331	2000	YES
0.75"	0.531"	0.5"	0.019"	951-534	DD	2000	YES
0.781"	1"	0.625"	0.024"	951-519	7332	1500	YES
0.781"	1"	0.563"	0.024"	951-314	7332A	1500	NO
0.781"	1"	0.5"	0.024"	951-553	7332B	1500	YES
0.781"	1"	0.318"	0.024"	951-565	7332D	1500	NO
0.781"	1"	0.438"	0.024"	951-593	7332C	2000	NO



300 Armistice Boulevard
Pawtucket, RI 02861-2332
PH: 800-458-7839 :: 401-722-5023
FX: 401-722-9938



BRASS SMOOTH (Continued)

Inner Dia. (D)	Length (L)	Pierce Dia. (P)	Gauge	Item #	Description	Pieces/Box	In Stock
0.8"	0.844"	0.688"	0.024"	951-076	BF800	2000	NO
0.812"	1"	0.625"	0.024"	951-520	7333	1000	YES
0.825"	0.844"	0.688"	0.024"	951-084	BF825	2000	YES
0.85"	0.565"	0.688"	0.019"	951-542	Z	2000	YES
0.875"	0.844"	0.688"	0.024"	951-523	7244A	1000	YES
0.875"	0.844"	0.565"	0.024"	951-623	7244C	1000	NO
0.875"	0.844"	0.318"	0.024"	951-566	7244B	2000	YES
0.9"	0.844"	0.688"	0.024"	951-524	5029A	1000	YES
0.925"	0.81"	0.688"	0.024"	951-089	925 (24623)	1000	NO
0.937"	0.844"	0.688"	0.024"	951-525	7242A	1000	YES
0.95"	1.245"	0.63"	0.025"	PENDING	950	1000	NO
0.975"	0.844"	0.688"	0.024"	951-526	5028A	1000	YES
1.025"	0.844"	0.693"	0.024"	951-528	7114A	1000	YES
1.025"	0.844"	0.875"	0.024"	951-567	7114B	1000	NO
1.025"	0.844"	0.812"	0.024"	951-639	7114C	1000	NO
1.05"	0.844"	0.781"	0.024"	951-164	7145B	1000	NO
1.05"	0.844"	0.767"	0.024"	951-503	7145C	1000	NO
1.05"	0.844"	0.693"	0.024"	951-529	7145A	1000	NO
1.1"	0.844"	0.812"	0.024"	951-530	5027A	1000	YES
1.1"	0.844"	0.767"	0.024"	951-646	5027C	1000	NO
1.125"	0.875"	0.875"	0.025"	951-635	5234	1000	NO
1.15"	0.844"	0.875"	0.024"	951-531	7104A	1000	YES
1.175"	0.844"	0.875"	0.024"	951-532	7088A	1000	YES
1.218"	1.5"	0.875"	0.024"	772-275	1218 FERRULE	1000	NO
1.375"	0.875"	1.125"	0.024"	951-267	1375 MC	500	NO



300 Armistice Boulevard
 Pawtucket, RI 02861-2332
 PH: 800-458-7839 :: 401-722-5023
 FX: 401-722-9938



BRASS SOAKER

Inner Dia. (ID)	Length (L)	Pierce Dia. (P)	Gauge	Item #	Description	Pieces/Box	In Stock
0.865"	1.5"	1.130 X .426"	0.022"	951-124	875 RIB SOAKER	1500	NO



STAINLESS SMOOTH

Inner Dia. (ID)	Length (L)	Pierce Dia. (P)	Gauge	Item #	Description	Pieces/Box	In Stock
0.45"	0.562"	0.344"	0.015"	952-294	769SST	4000	NO
0.478"	0.688"	0.328"	0.025"	952-972	4750 SST	4000	NO
0.528"	1"	0.375"	0.025"	952-295	7323 SST	2000	NO
0.528"	1"	0.438"	0.025"	952-978	7324 SST	2000	NO
0.562"	1"	0.438"	0.025"	952-625	7325 SST	2000	NO
0.564"	0.75"	0.375"	0.019"	952-331	3588 SST	2000	NO
0.564"	0.75"	0.385"	0.019"	952-960	3588A SST	2000	NO
0.593"	1"	0.438"	0.025"	952-977	7326 SST	2000	NO
0.625"	1"	0.438"	0.025"	952-830	7327 SST	2000	NO
0.656"	1"	0.438"	0.025"	952-701	7328 SST	2000	NO
0.687"	1"	0.5"	0.025"	952-702	7329 SST	2000	NO
0.718"	1"	0.625"	0.025"	952-974	7330 SST	2000	NO
0.718"	1"	0.5"	0.025"	952-296	7330B SST	2000	NO
0.75"	1"	0.625"	0.025"	952-629	7331 SST	2000	NO
0.781"	1"	0.625"	0.025"	952-965	7332 SST	1500	NO
0.812"	1"	0.625"	0.025"	952-973	7333 SST	1000	NO
0.875"	0.644"	0.688"	0.025"	952-297	7244A SST	2000	NO
0.908"	1.250"	0.625"	0.025"	952-364	908SST	1000	NO
1.218"	1.250"	0.875"	0.025"	952-366	1.218 SST	500	NO
1.159"	0.78"	0.972"	0.03"	951-177	1.159 SST (CX-3553)	1000	NO
1.175"	0.844"	0.875"	0.025"	952-828	7088A SST	1000	NO



STEEL SMOOTH

Inner Dia. (ID)	Length (L)	Pierce Dia. (P)	Gauge	Item #	Description	Pieces/Box	In Stock
0.625"	1"	0.375"	0.025"	952-304	7327A PLTD STEEL	2000	NO
0.687"	1"	0.438"	0.025"	952-308	7329 PLTD STEEL	2000	NO
0.906"	1.25"	0.625"	0.03"	952-159	.906 PLTD STEEL	1000	NO
1"	0.844"	0.688"	0.03"	951-072	1.00 PLTD STEEL	500	NO
1.12"	1.56"	0.875"	0.03"	952-162	1.12PLTD STEEL	1000	NO
1.149"	1.56"	0.875"	0.03"	952-163	1.149PLTD STEEL	1000	NO
1.19"	1.5"	0.875"	0.03"	952-160	1.19PLTD STEEL	1000	NO
1.218"	1.5"	0.875"	0.03"	772-281	1.25 PLTD STEEL	1000	NO
1.225"	0.985"	1"	0.04"	952-305	1.225 PLTD STEEL	1000	NO
1.246"	1.5"	0.875"	0.03"	952-282	1.246 PLTD STEEL	1000	NO
1.25"	1.015"	1.24"	0.035"	951-482	1.250 PLATED STEEL	1000	NO
1.438"	2"	1.125"	0.03"	952-283	1.438 PLTD STEEL	1000	NO
1.469"	2"	1.125"	0.03"	952-284	1.469 PLTD STEEL	1000	NO
1.5"	2"	1.125"	0.03"	952-285	1.5 PLTD STEEL	1000	NO
1.531"	2"	1.125"	0.03"	951-286	1.531 PLTD STEEL	1000	NO